

NHS Prescription Services

Overprint Specification for FP10SS Forms

Version 2.1 October 2020

Amendment History

Version	Date	Amendment History			
1.0	August 2016	Initial Release			
		Replaced previous documents:			
		Overprint Specification For GP FP10SS April 13			
		Overprint Specification For Non-Medical FP10SS April 13			
		Overprint Specification For Hospital Unit FP10SS April 13			
		Main Changes made to:			
		Prescribed Medication Items.			
		Prescribing Area Prescriber/Initiative Section.			
		Appendices added Prescriber Codes and EPS Release 2.			
		References to the Health and Social Care Information Centre			
		(HSCIC) updated to reflect their new name NHS Digital.			
		Out of date forms reference added and requirement that printers			
		printing FP10 stationery must be capable of handling 70gsm paper.			
2.0	August 2018	Updated Prescription Type table including addition of Paramedic Prescribers			
		Updated document with reference to Paramedic prescribers			
		where applicable			
		Clarification of position of prescriber endorsements added			
		Table of retired and obsolete codes added			
		Updating of enquiry contact			
2.1	October 2020	Updated Prescription type tables in Appendix 2 to include new			
		values for secondary care and the retiring of value 0123			
		New format of CCG, Trust and ISHP codes as ANANA added in			
		Table 4			

Enquiries about this document should be sent to Medicines & Organisational Data Services, NHS Prescription Services.

Email: nhsbsa.poppi@nhs.net

Contents

1.	About this Document	5
1.1.	Purpose	5
1.2.	Audience	5
1.3.	Scope	5
1.4.	Pre-requisites	5
1.5.	FP10 Stationery and Printers	6
2.	Prescription Sample Image	7
3.	Overprint Specification	8
3.1.	White Space at Top of Prescription	8
3.2.	Pharmacy Stamp	8
3.3.	Patient Details	8
3.3.1.	Age and D.O.B	8
3.3.2.	Title, Forename, Surname, & Address	8
3.4.	Endorsement Column	9
3.5.	Prescribing Area Prescriber/Initiative	9
3.5.1.	Hospital Unit Prescribers	11
3.6.	Prescribed Medication Items	12
3.7.	Right Hand Column	13
3.7.1.	Prescriber/initiative identifiers	14
3.8.	Signature of Prescriber	14
3.9.	Date and Prescriber Address	15
3.9.1.	Prescribed Date	15
3.9.2.	Prescriber Address	15
4.	Code Formats	18
Apper	ndix 1 Prescriber Codes	19
4.1.1.	Medical Prescriber Codes	19
4.1.1.	1. Spurious codes	19
4.1.2.	Non-Medical Prescriber Codes	20

4.1.3.	Pooled li	st codes	20
Appe	ndix 2	Electronic Prescription Service (EPS)	21
5.1	Population	on of "responsibleParty"	22
5.2	Cross re	ference of "Prescription Type" code and prescriber codes	23
5.3	EPS "Pre	escription Type" code, FP10 paper type and Prescriber Initiative	24
5.4	EPS Pre	scription type codes for NON-FP10 hospital prescribing	26
5.5	EPS Pre	scription type codes for private prescribing	28
5.6	Retired o	codes that must no longer be used	28
Appe	ndix 3	Examples of Overprinted FP10 prescriptions	31

1. About this Document

1.1. Purpose

The National Health Service (General Medical Services Contracts) Regulations state that 'prescription forms' and 'repeatable prescriptions' must be in the format required by the NHS Business Services Authority (NHSBSA).

These overprinting requirements specify the format required by the NHSBSA for all prescriber types printing FP10SS prescription forms.

1.2. Audience

This document has been written for system suppliers.

1.3. Scope

The scope of this specification covers:

- GP practices 'parented' by a Clinical Commissioning Group
- Other cost-centres e.g. Walk-In Clinics 'parented' by a Clinical Commissioning Group
- Cost-centres 'parented' by provider organisations (where prescribing costs need to be attributed at prescriber level). Examples of provider organisations include NHS Foundation Trusts, Social Enterprises and Independent Sector Healthcare Providers
- Hospital Trust Sites 'parented' by an NHS Trust that do not use individual prescriber codes
- Acute or Repeat Prescribing supply i.e. no repeat dispensing is authorised on the prescription form
- Repeat Dispensing a repeatable prescription form authorises a number of batch issue prescription forms which are to be produced at the same time.
- Prescription forms dispensed by a Community Pharmacy, by an Internet Pharmacy, by an Appliance Contractor or by a Dispensing Doctor.

1.4. Pre-requisites

- Prescribers <u>must</u> be notified to NHS Prescription Services. The only permitted exception is a Hospital Trust site that does not use individual prescribers.
- Practices and cost-centres must be notified to NHS Prescription Services
- Provider organisations <u>must</u> have a contract with a commissioner that includes authority to use FP10 prescription forms

- Provider organisations <u>must</u> have a code issued by the Organisational Data Service (NHS Digital) and <u>must</u> have notified this code to NHS Prescription Services
- Cost-centres are used to collate prescribing costs and consist of a group of prescribers. A cost-centre must represent a specific service provided for a specific commissioner.
- NHS Trust Site codes are issued by the Organisational Data Service (NHS Digital) and the NHS Trust must have notified this code to NHS Prescription Services. ODS uses the name EPACT code.


1.5. FP10 Stationery and Printers

FP10 stationery consists of a range of paper forms issued through the NHS Print and Forms contract. The correct overprint specification must be used according to the prescriber type and function of the form e.g. acute supply (acute and repeat prescribing), repeat dispensing, instalments for drug misusers. The most recent version of the FP10 form must be used. A document detailing current and out of date prescription forms can be found at:

http://www.nhsbsa.nhs.uk/PrescriptionServices/938.aspx

FP10 stationery is 70gsm. Every printer that is used for printing FP10 stationery must be capable of handling 70gsm paper.

2. Prescription Sample Image



3. Overprint Specification

3.1. White Space at Top of Prescription

This area is usually 6mm in depth although there is a tolerance of +/- 2.0mm, therefore 8mm should be allowed to ensure the print appears in the correct location for the other areas of the form.

3.2. Pharmacy Stamp

No overprinting requirements

3.3. Patient Details

3.3.1. Age and D.O.B

The age and date of birth shall be printed in the appropriate area under the relevant field name.

The date shall take the format "dd/mm/yyyy".

The age must be expressed as per the following examples:

Adults: 25y, 102y

Children under 18 years: 1y 2m, 8y 6m, 17y 8m

Infants (up to one year old): may be expressed as months - m, weeks - wks or days as appropriate eg. 3 wks 2 days, 6 wks, 3m 2wks,

The font should be Arial [bold] 7.5pt and centred horizontally.

Vertically the details should be positioned below the relevant heading (within 4mm)

3.3.2. Title, Forename, Surname, & Address

The font should be Arial [bold] 7.5pt.

The patient name and address shall be printed in the top right hand box.

There should be a blank line between the name and the first line of the address.

The postcode should appear on the same line as the last line of the address and should be left aligned with the start of the NHS number (if available).

There should be a blank line between the last line of the address and the NHS number.

The NHS number should be printed on the same line as the 'NHS Number:' prompt.

The NHS number should be right justified and there should be 5mm between the last character and the edge of the prescription.

The use of both upper and lower case letters is allowed.

The format of the patient name should be agreed between the user and the system supplier.

If the patient name and/or address details do not fit into the designated field, a set of 'rules' should be agreed between the user and the system supplier which shall not involve the wrapping of text

If the NHS Number is not available the field shall be blank.

3.4. Endorsement Column

No prescribing overprinting requirements

3.5. Prescribing Area Prescriber/Initiative

Unless otherwise stated:

- Text should be printed in capitals.
- The font should be Arial [bold] 7 to 10pt (the size of the font may need to be adjusted to ensure the text will fit on to one line).
- Text should be right aligned and there should be a 5mm gap between the last character and the edge of the box.
- Where required the prescriber/initiative description shall be printed at the top of the prescribing area and shall be printed on one line.
- Repeat Dispensed Repeatable Prescription Forms (Authorising Forms) –
 Underneath the Prescriber/initiative description Authorising no. of issues = NN shall be printed on one line. NN in this instance will be the number of batch issue prescription forms.
- Repeat dispensing prescription forms (batch issue forms) the prescriber/initiative description shall be printed at the top of the prescribing area and shall be printed on one line.

Table 1: Prescribing Initiative Headings

Prescribing Area Prescriber/Initiative					
	Prescriber/Initiative description				
Prescriber	Acute supply	Repeat Dispensed Repeatable Prescription Forms (Authorising Forms)	Repeat Dispensing Prescription Forms (Batch Issue Forms)		
GP prescribers in practice and cost centres parented by a Clinical Commissioning Group (CCG) Medical prescribers in cost-centres		GP REPEAT DISPENSING	GP REPEAT DISPENSING		
parented by a provider organisation					
Community Practitioner Nurse Prescribers in practices and cost centres parented by a CCG	COMMUNITY PRACTITIONER NURSE PRESCRIBER	CP NURSE PRESCRIBER REPEAT DISPENSING	CP NURSE PRESCRIBER REPEAT DISPENSING		
Nurse Independent/Supplementary Prescribers in practices and cost centres parented by a CCG	NURSE INDEPENDENT/SUPPLEMENTARY PRESCRIBER	NURSE INDEPENDENT/SP REPEAT DISPENSING	NURSE INDEPENDENT/SP REPEAT DISPENSING		
Nurse Independent/Supplementary Prescribers in cost centres parented by a provider organisation	NURSE INDEPENDENT/SUPPLEMENTARY PRESCRIBER				
Additional prescribers in practices and cost centres parented by a CCG	PHARMACIST PRESCRIBER PODIATRIST PRESCRIBER OPTOMETRIST PRESCRIBER PHYSIOTHERAPIST PRESCRIBER RADIOGRAPHER PRESCRIBER DIETICIAN PRESCRIBER PARAMEDIC PRESCRIBER	PHARMACIST REPEAT DISPENSING PODIATRIST REPEAT DISPENSING OPTOMETRIST REPEAT DISPENSING PHYSIOTHERAPIST REPEAT DISPENSING RADIOGRAPHER REPEAT DISPENSING DIETICIAN REPEAT DISPENSING PARAMEDIC PRESCRIBER	PHARMACIST REPEAT DISPENSING PODIATRIST REPEAT DISPENSING OPTOMETRIST REPEAT DISPENSING PHYSIOTHERAPIST REPEAT DISPENSING RADIOGRAPHER REPEAT DISPENSING DIETICIAN REPEAT DISPENSING PARAMEDIC PRESCRIBER		
Additional prescribers in cost centres parented by a provider organisation	PHARMACIST PRESCRIBER PODIATRIST PRESCRIBER OPTOMETRIST PRESCRIBER PHYSIOTHERAPIST PRESCRIBER RADIOGRAPHER PRESCRIBER DIETICIAN PRESCRIBER PARAMEDIC PRESCRIBER				
Community Practitioner Nurse Prescribers in cost centres parented by a provider organisation	COMMUNITY PRACTITIONER NURSE PRESCRIBER				

3.5.1. Hospital Unit Prescribers

The prescriber/initiative description **HOSPITAL PRESCRIBER** shall be printed at the top (as appropriate) of the prescriber area and shall be printed on one line.

If the Hospital Trust requires separate identification between types of hospital prescriber then the text at the top of the prescribing area should contain the type on line 2 and the prescriber PIN should be printed on the third line next to the text **PIN***:

Community Practitioner Nurse Prescriber:

HOSPITAL PRESCRIBER COMMUNITY PRACTITIONER NURSE PRESCRIBER

PIN: NNANNNNA *

Nurse Independent/Supplementary Prescriber:

HOSPITAL PRESCRIBER

NURSE INDEPENDENT/SUPPLEMENTARY PRESCRIBER

PIN: NNANNNNA*

Pharmacist Prescriber:

HOSPITAL PRESCRIBER PHARMACIST PRESCRIBER PIN: NNNNNNN*

Podiatrist Prescriber:

HOSPITAL PRESCRIBER PODIATRIST PRESCRIBER PIN: AANNNNN*

Optometrist Prescriber:

HOSPITAL PRESCRIBER OPTOMETRIST PRESCRIBER PIN: NN-NNNNN*

Physiotherapist Prescriber:

HOSPITAL PRESCRIBER
PHYSIOTHERAPIST PRESCRIBER
PIN: AANNNNNN*

Radiographer Prescriber:

HOSPITAL PRESCRIBER
RADIOGRAPHER PRESCRIBER
PIN: AANNNNN*

Dietician Prescriber:

HOSPITAL PRESCRIBER DIETICIAN PRESCRIBER PIN: AANNNNN*

Paramedic Prescriber:

HOSPITAL PRESCRIBER
PARAMEDIC PRESCRIBER
PIN: AANNNNN*

At the bottom of the prescribing area the prescriber's name and initials (and bleep number if available) shall be printed. The font should be Arial [bold] 7.5pt.

A line separating the prescriber's name from the prescribed items should be printed. The line should be within 10 – 15mm from the bottom of the prescribing area.

3.6. Prescribed Medication Items

Prescribing Area: Prescribed Medication Items

There shall be a one line gap between the initiative description and the medication details.

The font should be Arial 7.5 to 10pt (the size of the font may need to be adjusted to ensure the text will fit within this area). The font should be left aligned and there should be a 5mm gap between the first and last characters and the edge of the box.

For each prescribed medication item, the following must be printed in the stated order on separate lines:

Dictionary of Medicines and Devices (dm+d) Product Name/Description Dosage/Frequency Quantity

Where a prescriber endorsement (for example: ACBS, AF, CC, SLS) is required this must be printed after the dm+d name/description and within the body of the order.

For each controlled drug item in schedule 2 or 3, the text 'CD' shall be printed after the dm+d product name e.g. Tramadol 50mg capsules CD. The medication item description may wrap onto a second line if required.

Dosage/Frequency should be expressed in words without numerical figures e.g. One capsule to be taken three times a day.

Quantity must be expressed in numerical figures without reference to multiplication of packs and/or the strength/size of the prescribed item, and must be followed by the dm+d unit of measure for the prescribed item's pack(s). The numerical figures must not be placed within brackets e.g

28 tablet 100 gram

To comply with legislation for controlled drugs in Schedules 2 and 3 the total quantity must be printed in both words and figures. This requirement to print the quantity in words does not apply to schedule 4, 5, non-controlled drugs or devices

For controlled drugs, in schedule 2 or 3 only, the quantity must be printed in both figures and words in that order; e.g.

56 (Fifty-six) capsule

The representation of the quantity in words must be contained within brackets.

There shall be a one line gap between medication item details and the medication item separator.

Each medication item should be separated by a solid or hashed horizontal line or similar separator.

Any remaining lines between the last prescribed medication item and the bottom of the box should be printed with an 'X' character, or similar, centre aligned with the box.

3.7. Right Hand Column

Unless otherwise stated the text shall be printed in capitals and should be Arial [bold] 10pt.

Where required, the 2 character initiative identifier shall be printed in two positions in the right hand column (in the white section and in the green section)

Where required, the 2 character initiative identifier shall be centred horizontally across the column and positioned vertically within 8mm of the top of the box in which it appears

Repeat Dispensing Prescription Forms (Batch Issue Forms) – in addition to the 2 character initiative identifier of RD, **XX** shall be printed in the right hand column (in the white section) where **XX** is the number of the batch issue form and shall be centred horizontally across the column and positioned vertically within 8mm of the bottom of the white section.

Table 2: Right Hand Column Initiative Headings

Right Hand Column Initiative					
	Prescriber/Initiative description				
Prescriber	Acute	Repeat Dispensed Repeatable Prescription	Repeat Dispensing Prescription Forms		
	Supply	Forms (Authorising Forms)	(Batch Issue Forms)		
GP prescribers in practice and cost		Torms (Authorising Forms)	(Butter 133ue 1 011113)		
centres parented by a Clinical		RA	RD		
Commissioning Group					
Medical prescribers in cost-centres					
parented by a provider organisation					
Community Practitioner Nurse					
Prescribers in practices and cost	PN	RA	RD		
centres parented by a Clinical	FIN	NA .	ND		
Commissioning Group					
Nurse Independent/Supplementary					
Prescribers in practices and cost	PN	RA	RD		
centres parented by a Clinical	FIN	NA.	ND		
Commissioning Group					
Nurse Independent/Supplementary					
Prescribers in cost centres parented	PN				
by a provider organisation					

Additional prescribers in practices and cost centres parented by a Clinical Commissioning Group	SP	RA	RD
Additional prescribers in cost centres parented by a provider organisation	SP		
Community Practitioner Nurse Prescribers in cost centres parented by a provider organisation	PN		
Hospital Unit prescribers	HP		

3.7.1. Prescriber/initiative identifiers

The prescriber/initiative two character identifier is required by the NHSBSA to identify the form type. Three types of 'prescriber' are identified:

- PN Nurse prescriber
- SP All other non-medical prescribers
- HP Hospital prescriber

Please note:

- Both independent and supplementary non-medical prescribers use the SP identifier

 this identifier only identifies that the prescriber is a non-medical prescriber and is
 not a nurse.
- the two character prescriber identifier CN has been obsolete since 01 April 2013 and must never be printed on a prescription.

3.8. Signature of Prescriber

Acute, Repeat Prescribing and Repeat Dispensed Repeatable Prescription Forms (Authorising Forms) have no overprint requirements.

Repeat Dispensing Prescription forms (Batch Issue Forms) have the following overprint requirements.

Text shall be printed on one line

The font should be Arial [bold] 7.5pt to 10pt and right aligned (the size of the font may need to be adjusted to ensure the text will fit on one line)

Where required, **XX** is the number of the batch issue form and **YY** is the total number of batch issues covered by the repeatable prescription.

Table 3: Signature of Prescriber Text

Repeat Dispensing Prescription Forms (Batch Issue Forms)				
Prescriber	Signature of Prescriber			
GP prescribers in practice and cost centres	Repeat Dispensing: XX of YY			
parented by a Clinical Commissioning Group	Repeat Dispensing. AX of 11			
Community Practitioner Nurse Prescribers in				
practices and cost centres parented by a Clinical	Repeat Dispensing: XX of YY			
Commissioning Group				
Nurse Independent/Supplementary Prescribers				
in practices and cost centres parented by a	Repeat Dispensing: XX of YY			
Clinical Commissioning Group				
Additional prescribers in practices and cost				
centres parented by a Clinical Commissioning	Repeat Dispensing: XX of YY			
Group	-			

3.9. Date and Prescriber Address

3.9.1. Prescribed Date

The date shall be in format "dd/mm/yyyy"

The font should be Arial [bold] 7.5pt.

The date shall be centred horizontally and vertically below the Date prompt and the bottom edge of the box.

3.9.2. Prescriber Address

Unless otherwise stated:

- The font should be Arial [bold] 7.5pt and left justified, with the exception of the Prescriber PIN, Practice/Cost Centre Code and Trust Site Code.
- The prescriber name shall be printed on the top line of the address box
- There shall be a one line gap before the address.
- There does not need to be a 5mm gap between the last character of the postcode,
 CCG code or Provider code and the edge of the box.
- The use of both upper and lower case letters is allowed
- The format of the prescriber name/hospital unit should be agreed between the user and the system supplier.
- The prescriber name/hospital unit name and/or address details shall not impinge on the right hand side of the code area. Therefore a set of 'rules' should be agreed between the user and the system supplier which shall not involve the wrapping of text.
- The CCG name/Provider name/NHS Trust name shall not impinge upon the right hand side of the code area. Therefore, it is advisable to use the shortened name that has been agreed with NHS Prescription Services.

The Cost Centre name must be agreed with NHS Prescription Services

Font and position for Prescriber Pin/Trust Site Code and Practice/Cost Centre Code:

- The font should be Arial [bold] 12pt and shall be no less than Arial [bold] 7.5pt.
- The text should be positioned towards the right of the box.
- The Prescriber PIN and Practice/Cost Centre Code should be left aligned with each other.
- There shall be a 5mm gap between the last character and the edge of the box.

Layout example for GP prescribers

TITLE, INITIAL(S), SURNAME Prescriber PIN

{blank line}

GP ADDRESS LINE 1 GP ADDRESS LINE 2

GP ADDRESS LINE 3 Post Code

GP Practice Telephone Number

CCG Name CCG Code

- The postcode (Arial [bold] 7.5pt) should appear on the same line as address 3 but should be left aligned with the Prescriber PIN.
- The CCG code (Arial [bold] 7.5pt) should appear on the same line as the CCG name but should be left aligned with the Prescriber PIN.

Layout example for Medical prescribers in cost centres parented by a provider organisation

TITLE, INITIAL(S), SURNAME Prescriber PIN

{blank line}

Prescriber ADDRESS LINE 1
Prescriber ADDRESS LINE 2

Prescriber ADDRESS LINE 3

Prescriber Telephone Number

Provider Name Provider Code

• The postcode (Arial [bold] 7.5pt) should appear on the same line as address 3 but should be left aligned with the Prescriber PIN.

Post Code

• The Provider Code (Arial [bold] 7.5pt) should appear on the same line as the provider name but should be left aligned with the Prescriber PIN.

Preferred layout example for: Community Practitioner Nurse Prescribers in practices and cost centres parented by a CCG, Nurse Independent/Supplementary Prescribers in practices and cost centres parented by a CCG, Additional prescribers in practices and cost centres parented by a CCG

TITLE, INITIAL(S), SURNAME Prescriber PIN

{blank line}

SENIOR PARTNER/COST CENTRE NAME Practice/cost centre code

GP/COST CENTRE ADDRESS LINE 1
GP/COST CENTRE ADDRESS LINE 2
GP/COST CENTRE Telephone Number

CCG Name CCG Code

• The postcode (Arial [bold] 7.5pt) should appear on the same line as address 2 but should be left aligned with the Prescriber PIN and Practice/Cost Centre code.

• The CCG code (Arial [bold] 7.5pt) should appear on the same line as the CCG name but should be left aligned with the Prescriber PIN and Practice/Cost Centre code.

Post Code

Layout example for Nurse Independent/Supplementary Prescribers in cost centres parented by a provider organisation, Community Practitioner Nurse Prescribers in cost centres parented by a provider organisation, Additional prescribers in cost centres parented by a provider organisation

TITLE, INITIAL(S), SURNAME Prescriber PIN

{blank line}

COST CENTRE NAME Cost centre code

COST CENTRE ADDRESS LINE 1

COST CENTRE ADDRESS LINE 2 Post Code

COST CENTRE Telephone Number

Provider Name Provider Code

• The postcode (Arial [bold] 7.5pt) should appear on the same line as address 2 but should be left aligned with the Prescriber PIN and Cost Centre code.

• The Provider Code (Arial [bold] 7.5pt) should appear on the same line as the Provider name should be left aligned with the Prescriber PIN and Cost Centre code.

Layout example for Hospital Unit prescriptions (without individual prescriber code)

HOSPITAL UNIT NAME TRUST SITE CODE

HOSPITAL ADDRESS LINE 1
HOSPITAL ADDRESS LINE 2

HOSPITAL ADDRESS LINE 3 Post Code

Telephone Number

NHS TRUST Name NHS TRUST Code

- The Hospital Unit name shall be printed on the top line of the address box.
- The postcode (Arial [bold] 7.5pt) should appear on the same line as address 3 but should be left aligned with the Trust Site Code.
- The NHS Trust Code (Arial [bold] 7.5pt) should appear on the same line as the NHS Trust name but should be left aligned with the Trust Site Code.

4. Code Formats

Table 4: Format for prescriber, practice/cost centre, CCG, NHS Trust, NHS Trust Site and provider codes:

Code	Format	Example
GP/medical prescriber	NNNNN	954000
Nurse prescriber	NNANNNA	71A2998E
Pharmacist prescriber	NNNNNN	2033467
Optometrist prescriber	NN-NNNNN*	01-09491
Podiatrist prescriber	CHNNNNNN**	CH029821
Physiotherapist prescriber	PHNNNNN**	PH095159
Radiographer prescriber	RANNNNNN**	RA088262
Dietician prescriber	DTNNNNNN**	DT012345
Paramedic prescriber	PANNNNN**	PA054321
CCG code	NNA	15A
	Or	A1B2C
	ANANA	
NHS Trust	XXX	RAT
	Or	A2B2C
	ANANA	AZBZO
NHS Trust Site	XXXNN	RAT89
	Or	C1B2C
	ANANA	01820
Independent Sector Healthcare	XXX	NAA
Provider/Social Enterprise	Or	A5D4C
	ANANA	7.02.10
Practice/cost centre	ANNNN	Y05001

^{*} Optometrist prescriber codes may be 7 or 8 characters long.

N = any number

A = any alpha, except in the prefix for Radiographer and Paramedic codes where these must be the letter A i.e. RA and PA

X = any number or any alpha or a space

^{**} NHS Prescription Services systems require these prescriber codes to be 8 characters long. Additional zeroes (0) should be inserted immediately following the first 2 alpha characters to extend the code to 8 characters as necessary.

Appendix 1

Prescriber Codes

NHS Prescription Services (NHSRxS) is a service provided by the NHS Business Services Authority (NHSBSA) and uses codes for prescribers and organisations to identify where the prescription costs should be assigned and to provide data about who has prescribed what products.

- Medical prescribers require a single prescriber code on a prescription that identifies both them and the practice or cost centre that they are working in
- Non-medical prescribers need two codes on a prescription one to identify them as an individual prescriber and another to identify the practice or cost centre
- Dentists are not allocated individual prescriber codes. Any costs associated with their prescribing are met by the NHS Commissioning Board as they are responsible for commissioning all dental services.

4.1.1. Medical Prescriber Codes

If a doctor chooses to enter general practice in England a 6 digit number is allocated by NHS Digital. This number is referred to as the Doctor Index Number or DIN.

The DIN is passed to the requesting CCG or organisation acting on their behalf where the authorised signatory will then inform NHSRxS using the appropriate notification form.

 The 6 digit DIN will be used as the prescriber code printed on an FP10 paper prescription and as the prescriber code in the 'Responsible party -AgentPerson.Person.id field' in an EPS Release 2 prescription.

A DIN can only be used in one practice at any given time so where a GP is working in an additional practice or cost centre then the authorised signatory will ask for a spurious code.

(Please note NHSRxS prefix the DIN with a G and add a check digit to create the General Medical Practitioner PPD code that is extracted and supplied to NHS Digital for use within the NHS. This 8 character GMP PPD code must never be used as a prescriber code printed on an FP10 or in an EPS Release 2 prescription).

4.1.1.1. Spurious codes

Spurious codes are only issued for use by medical prescribers as they identify that the prescriber is a medical prescriber. A non-medical prescriber should never use a spurious code. They are issued for a variety of reasons, including:

- As a prescribing code where a GP is working in two or more practices/cost centres and their DIN is being used in their first practice. This allows the monitoring and the correct allocation of 'costs' of the GPs prescribing in each practice/cost centre.
- A locum doctor working in a practice where the GP has resigned (normally singlehanded practices)

 Special exercises, projects or initiatives running in the CCG and funded from the CCG prescribing budget. i.e. Dermatology Centres, Hospices etc where prescribing data is not required at individual medical prescriber level

A spurious code will only be issued to GPs whose DIN code is already in use at another practice/cost centre, or for hospital doctors who are not issued with a DIN code. Locum doctors should use the prescribing code of the doctor for whom they are providing locum services (unless there are no GPs left in the practice/cost centre).

Spurious codes like DINs are 6 digit codes and begin with the number 6

4.1.2. Non-Medical Prescriber Codes

A non-medical prescriber uses their professional registration or personal identification number issued by their relevant regulatory body to identify them as an individual prescriber and the practice or cost centre code.

- Both their professional/PIN code and the practice/cost centre code must be printed on an FP10 paper prescription
- In an EPS Release 2 prescription the professional/PIN code should be used as the 'Responsible party' field and the practice/cost centre code as the 'organization' field

4.1.3. Pooled list codes

A pooled list code is a 6 digit code beginning with a 7 and is issued to a GP practice for the purpose of holding the practice's patient list against one central code. This code is **not** a prescriber code and should never appear on prescriptions


Appendix 2 Electronic Prescription Service (EPS)

In EPS Release 2 the prescription message is the legal prescription and is signed by the prescriber with an advanced electronic signature (AES).

This appendix has been provided to show how the various fields within the EPS Release 2 prescription message map and relate to the areas on an FP10 prescription. In addition guidance is also provided on how the 'prescription type' relates to the different variants of FP10 prescriptions.

The following diagram shows how the various fields of the EPS Release 2 message relate to the areas on the FP10 paper prescription. This supports but does not replace the EPS Prescribing Systems Compliance Specification (NPFIT-ETP-EDB-0025.29) which can be found at: http://systems.hscic.gov.uk/eps/library/compliance/index_html

The Domain Message Specification (DMS) defines how the "Parent Prescription" HL7 message is constructed while the "EPS Prescription Token Specification" defines how the FP10 token is to be printed.



The shaded areas refer to XPath references that must first be prefixed. This was to avoid excessively long XPath references within the diagram. Also note that the prescribed medication string is a concatenation of two separate entities

within the "PertinentLineItem" entity.

5.1 Population of "responsibleParty"

The population of the 'responsibleParty' entity is equivalent to the details that would be printed at the bottom of an FP10 prescription.

responsibleParty	responsibleParty				
Required Fields	Population Rules				
AgentPerson.id	Where the "AgentPerson.Person.id" prescribing code relates to a clinician then use their SDS Role Profile ID. Where the "AgentPerson.Person.id" prescribing code relates to a service this field must be omitted as smartcards are not issued to services.				
AgentPerson.code	Where the "AgentPerson.Person.id" prescribing code relates to a clinician then use their the SDS job role code (returned in the SAML assertion following successful end-user authentication) e.g. "R8003". Where the "AgentPerson.Person.id" prescribing code relates to a service this field must be omitted as smartcards are not issued to services.				
AgentPerson.telecom	A valid telephone number for the prescribing clinician or cost centre. Where a specific telephone number is not available use the same telephone number as provided within the 'AgentPerson.Organization' entity.				
AgentPerson.Person.name	The name of the prescribing/cost centre clinician or organisation as identified by the 'AgentPerson.Person.id' field.				
AgentPerson.Person.id	The prescribing code issued by the NHSBSA. The system must be capable of populating all medical and non-medical prescriber codes required by the NHSBSA in the correct format. The OID must be 1.2.826.0.1285.0.2.1.54 E.g.Medic (e.g. any type of GP) – DIN or Spurious Code GP Registrar – GP Trainer's DIN Nurse – NMC Pharmacist – GPhC				
AgentPerson.Organization.id	The ODS code for the clinically responsible organisation. The OID must be 1.2.826.0.1285.0.1.10				
AgentPerson.Organization. code	The organization type from the pre-defined vocabulary within the DMS. The DMS vocabulary does not include all NHS organisation types. Until further notice, where an appropriate code for the prescribing organisation does not exist in the DMS vocabulary used the code "999" = "Not Specified".				
AgentPerson.Organization. name	The name of the organisation.				
AgentPerson.Organization. telecom	A valid telephone number for the organisation.				
AgentPerson.Organization. addr	The postal address of the organisation.				
AgentPerson.Organization. healthCareProviderLicense. Organization.id	The ODS code for the commissioning organisation for the clinically responsible organisation. The OID must be 1.2.826.0.1285.0.1.10. In most cases this will be the ODS code of the Clinical Commissioning Group (CCG).				
AgentPerson.Organization. healthCareProviderLicense. Organization.name	The name of the commissioning organisation for the clinically responsible organisation. In most cases this will be the name of the Clinical Commissioning Group (CCG).				

5.2 Cross reference of "Prescription Type" code and prescriber codes

Below is a cross reference of the non-deprecated "Prescription Type" codes that are currently in-scope for EPS Release 2 prescribing together with the relevant mapping to Author and Responsible Party id

Code	Description	Author 'person.id'	Responsible Party 'person.id'
0101	General Practitioner Prescribing - GP	GMC	Doctor Index Number (DIN) or Spurious Code
0104	General Practitioner Prescribing - Practice employed Nurse Independent/Supplementary prescriber	NMC	NMC
0105	General Practitioner Prescribing - Practice employed Community Practitioner Nurse prescriber	NMC	NMC
0108	General Practitioner Prescribing - Practice employed Pharmacist prescriber	GPhC	GPhC
0113	General Practitioner Prescribing - Practice employed Optometrist	HCPC	HCPC
0114	General Practitioner Prescribing - Practice employed Podiatrist/Chiropodist	HCPC	HCPC
0116	General Practitioner Prescribing - Practice employed Radiographer	HCPC	HCPC
0117	General Practitioner Prescribing - Practice employed Physiotherapist	HCPC	HCPC
0124	General Practitioner Prescribing - Practice employed Supplementary Dietician prescriber	HCPC	HCPC
0125	General Practitioner Prescribing – Independent/Supplementary Paramedic prescriber	HCPC	HCPC

¹This is the personal identification number or professional registration number issued by the relevant regulatory body for the healthcare professional.

GMC General Medical Council

NMC Nursing and Midwifery Council
GPhC General Pharmaceutical Council
HCPC Health & Care Professions Council

5.3 EPS "Prescription Type" code, FP10 paper type and Prescriber Initiative

EPS Prescription Type Code	Description	FP10 paper type	FP10 Prescriber Initiative	Note
0101	Primary Care Prescriber – Medical Prescriber	FP10 SS		
0104	Primary Care Prescriber - Nurse Independent/Supplementary prescriber	FP10 SS	PN	
0105	Primary Care Prescriber - Community Practitioner Nurse prescriber	FP10 SS	PN	
0108	Primary Care Prescriber - Pharmacist Independent/Supplementary prescriber	FP10 SS	SP	
0113	Primary Care Prescriber – Optometrist Independent/Supplementary prescriber	FP10 SS	SP	
0114	Primary Care Prescriber – Podiatrist/Chiropodist Independent/Supplementary prescriber	FP10 SS	SP	
0116	Primary Care Prescriber – Radiographer Independent/Supplementary prescriber	FP10 SS	SP	
0117	Primary Care Prescriber - Physiotherapist Independent/Supplementary prescriber	FP10 SS	SP	
0124	Primary Care Prescriber – Dietician Supplementary prescriber	FP10 SS	SP	
0125	Primary Care Prescriber – Paramedic Independent/Supplementary prescriber	FP10 SS	SP	
1001	Outpatient Community Prescriber – Medical Prescriber	FP10 SS	НР	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1004	Outpatient Community Prescriber - Nurse Independent/Supplementary prescriber	FP10 SS	НР	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1005	Outpatient Community Prescriber - Community Practitioner Nurse prescriber	FP10 SS	HP	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy

1008	Outpatient Community Prescriber - Pharmacist Independent/Supplementary prescriber	FP10 SS	НР	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1013	Outpatient Community Prescriber – Optometrist Independent/Supplementary prescriber	FP10 SS	HP	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1014	Outpatient Community Prescriber – Podiatrist/Chiropodist Independent/Supplementary	FP10 SS	HP	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1016	Outpatient Community Prescriber – Radiographer Independent/Supplementary prescriber	FP10 SS	HP	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1017	Outpatient Community Prescriber - Physiotherapist Independent/Supplementary prescriber	FP10 SS	HP	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1024	Outpatient Community Prescriber – Dietician Supplementary prescriber	FP10 SS	HP	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
1025	Outpatient Community Prescriber – Paramedic Independent/Supplementary prescriber	FP10 SS	НР	NEW - Hospital outpatient prescriptions dispensed in a community pharmacy
0607	Dental Prescribing - Dentist	FP10 D		Currently out of scope for EPS and no overprinting requirements for dental forms as hand written pads

5.4 EPS Prescription type codes for NON-FP10 hospital prescribing

EPS Prescription Type Code	Description	FP10 paper type	FP10 Prescriber Initiative	Note
1101	Outpatient Hospital Pharmacy Prescriber – Medical Prescriber	NON-FP10	Not	NEW - Hospital outpatient prescriptions
			applicable	dispensed in their own hospital pharmacy
1104	Outpatient Hospital Pharmacy Prescriber - Nurse Independent/Supplementary	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	prescriber		applicable	dispensed in their own hospital pharmacy
1105	Outpatient Hospital Pharmacy Prescriber - Community Practitioner Nurse	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	prescriber		applicable	dispensed in their own hospital pharmacy
1108	Outpatient Hospital Pharmacy Prescriber - Pharmacist	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed in their own hospital pharmacy
1113	Outpatient Hospital Pharmacy Prescriber – Optometrist	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed in their own hospital pharmacy
1114	Outpatient Hospital Pharmacy Prescriber – Podiatrist/Chiropodist	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed in their own hospital pharmacy
1116	Outpatient Hospital Pharmacy Prescriber – Radiographer	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed in their own hospital pharmacy
1117	Outpatient Hospital Pharmacy Prescriber - Physiotherapist	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed in their own hospital pharmacy
1124	Outpatient Hospital Pharmacy Prescriber – Dietician Supplementary prescriber	NON-FP10	Not	NEW - Hospital outpatient prescriptions
			applicable	dispensed in their own hospital pharmacy
1125	Outpatient Hospital Pharmacy Prescriber – Paramedic	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed in their own hospital pharmacy
1201	Outpatient Homecare Prescriber – Medical Prescriber	NON-FP10	Not applicable	NEW - Hospital outpatient prescriptions dispensed by Homecare

1204	Outpatient Homecare Prescriber - Nurse Independent/Supplementary	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	prescriber		applicable	dispensed by Homecare
1205	Outpatient Homecare Prescriber - Community Practitioner Nurse prescriber	NON-FP10	Not	NEW - Hospital outpatient prescriptions
			applicable	dispensed by Homecare
1208	Outpatient Homecare Prescriber - Pharmacist Independent/Supplementary	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	prescriber		applicable	dispensed by Homecare
1213	Outpatient Homecare Prescriber – Optometrist Independent/Supplementary	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	prescriber		applicable	dispensed by Homecare
1214	Outpatient Homecare Prescriber – Podiatrist/Chiropodist	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed by Homecare
1216	Outpatient Homecare Prescriber – Radiographer Independent/Supplementary	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	prescriber		applicable	dispensed by Homecare
1217	Outpatient Homecare Prescriber - Physiotherapist	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	Independent/Supplementary prescriber		applicable	dispensed by Homecare
1224	Outpatient Homecare Prescriber – Dietician Supplementary prescriber	NON-FP10	Not	NEW - Hospital outpatient prescriptions
			applicable	dispensed by Homecare
1225	Outpatient Homecare Prescriber – Paramedic Independent/Supplementary	NON-FP10	Not	NEW - Hospital outpatient prescriptions
	prescriber		applicable	dispensed by Homecare

5.5 EPS Prescription type codes for private prescribing

EPS	Description	FP10 paper	FP10	Note
Prescription Type Code		type	Prescriber Initiative	
0901	Private prescribing - GP			Previously published in Prescribing spec Currently out of scope for EPS
0904	Private prescribing - Nurse prescribing			Previously published in Prescribing spec Currently out of scope for EPS
0908	Private prescribing - Pharmacist prescribing			Previously published in Prescribing spec Currently out of scope for EPS
0913	Private prescribing - Optometrist			Previously published in Prescribing spec Currently out of scope for EPS
0914	Private prescribing - Podiatrist/Chiropodist			Previously published in Prescribing spec Currently out of scope for EPS
0916	Private prescribing - Radiographer			Previously published in Prescribing spec Currently out of scope for EPS
0917	Private prescribing - Physiotherapist			NEW Currently out of scope for EPS
0924	Private prescribing – Dietician			NEW Currently out of scope for EPS
0925	Private prescribing - Paramedic			NEW Currently out of scope for EPS

5.6 Retired codes that must no longer be used

EPS Prescription Type Code	Description	FP10 paper type	FP10 Prescriber Initiative	Note
0001	General Practitioner Prescribing	зурс		Medical prescriber use 0101
0002	Intentionally left blank			n/a
0003	Nurse Practitioner Prescribing			Nurse prescriber use either 0104 or 0105 depending upon qualification of nurse
0004	Hospital Prescribing			Out of scope for EPS
0006	Dental Prescribing			Out of scope for EPS

0007	Supplementary Prescriber Prescribing			Use appropriate prescription type depending upon type of prescriber eg 0108, 0113, 0114, 0116, 0117, 0124
0009	General Practitioner Prescribing: Private			Private prescribing not in scope for EPS
0012	Extended Formulary Prescriber			'Extended Formulary' Nurse Prescribers no longer exist. A nurse prescriber would use 0104 or 0105 depending upon their qualification
0102	General Practitioner Prescribing - Trainee Doctor/GP Registrar	FP10 SS		Code retired 01 September 2016 Medical prescriber use 0101
0103	General Practitioner Prescribing - Deputising Services	FP10 SS		Code retired 01 September 2016 Medical prescriber use 0101
0106	General Practitioner Prescribing - PCT employed Nurse Independent/Supplementary prescriber	FP10 SS	CN	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a nurse employed as an Independent or Supplementary prescriber use 0104
0107	General Practitioner Prescribing - PCT employed Community Practitioner Nurse prescriber	FP10 SS	CN	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a nurse employed as a Community Practitioner nurse prescriber use 0105
0109	General Practitioner Prescribing - PCT employed Pharmacist prescriber	FP10 SS	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a pharmacist employed as a prescriber use 0108
0110	General Practitioner Prescribing - Locum	FP10 SS		Code retired 01 September 2016 Medical prescriber use 0101
0119	General Practitioner Prescribing - PCT employed Podiatrist/Chiropodist	FP10 SS	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a podiatrist/chiropodist employed as a prescriber use 0114
0120	General Practitioner Prescribing - PCT employed Optometrist	FP10 SS	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For an optometrist employed as a prescriber use 0113
0121	General Practitioner Prescribing - PCT employed Radiographer	FP10 SS	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a radiographer employed as a prescriber use 0116
0122	General Practitioner Prescribing - PCT employed Physiotherapist	FP10 SS	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a physiotherapist employed as a prescriber use 0117
0123	Primary Care Prescriber - Hospital prescriber	FP10 SS	HP	Code retired August 2020 upon introduction of individual prescriber types for Hospital unit prescribers prescribing on FP10 prescriptions for dispensing in the Community. Use 10nn values depending upon type of prescriber
0304	Nurse Practitioner - Practice employed Nurse Independent/Supplementary prescriber	FP10 P	PN	Code retired 01 September 2016


				For a nurse employed as an Independent or Supplementary prescriber use 0104
0305	Nurse Practitioner - Practice employed Community Practitioner Nurse prescriber	FP10 P	PN	Code retired 01 September 2016 For a nurse employed as a Community Practitioner nurse prescriber use 0105
0306	Nurse Practitioner - PCT employed Nurse Independent/Supplementary prescriber	FP10 P	CN	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a nurse employed as an Independent or Supplementary prescriber use 0104
0307	Nurse Practitioner - PCT employed Community Practitioner Nurse prescriber	FP10 P	CN	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a nurse employed as a Community Practitioner nurse prescriber use 0105
0406	Hospital Prescribing - Hospital Prescriber	FP10 NC	HP	Out of scope
0708	Supplementary Prescribing - Practice employed Pharmacist	FP10 P	SP	Code retired 01 September 2016 For a pharmacist employed as a prescriber use 0108
0709	Supplementary Prescribing - PCT employed Pharmacist	FP10 P	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a pharmacist employed as a prescriber use 0108
0713	Supplementary Prescribing - Practice employed Optometrist	FP10 P	SP	Code retired 01 September 2016 For an optometrist employed as a prescriber use 0113
0714	Supplementary Prescribing - Practice employed Podiatrist/Chiropodist	FP10 P	SP	Code retired 01 September 2016 For a podiatrist/chiropodist employed as a prescriber use 0114
0716	Supplementary Prescribing - Practice employed Radiographer	FP10 P	SP	Code retired 01 September 2016 For a radiographer employed as a prescriber use 0116
0717	Supplementary Prescribing - Practice employed Physiotherapist	FP10 P	SP	Code retired 01 September 2016 For a physiotherapist employed as a prescriber use 0117
0718	Supplementary Prescribing - PCT employed Optometrist	FP10 P	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For an optometrist employed as a prescriber use 0113
0719	Supplementary Prescribing - PCT employed Podiatrist/Chiropodist	FP10 P	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a podiatrist/chiropodist employed as a prescriber use 0114
0721	Supplementary Prescribing - PCT employed Radiographer	FP10 P	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a radiographer employed as a prescriber use 0116
0722	Supplementary Prescribing - PCT employed Physiotherapist	FP10 P	SP	Code obsolete <u>must</u> not be used as PCTs abolished 01 April 2013 For a physiotherapist employed as a prescriber use 0117

Appendix 3 Examples of Overprinted FP10 prescriptions

GP Prescribers in practices and cost centres parented by a Clinical Commissioning Group – Acute Supply (acute and repeat prescribing)



GP Prescribers in practices and cost centres parented by a Clinical Commissioning Group – Repeat Authorising




GP Prescribers in practices and cost centres parented by a Clinical Commissioning Group – Repeat Dispensing




Community Practitioner Nurse Prescribers in practices and cost centres parented by a Clinical Commissioning Group


1. Acute Supply (acute and repeat prescribing)




2. Repeat Authorising



3. Repeat Dispensing




Nurse Independent/Supplementary Prescribers in practices and cost centres parented by a Clinical Commissioning Group – Acute supply (acute and repeat prescribing)




Additional prescribers in practices and cost centres parented by a Clinical Commissioning Group – Acute supply (acute and repeat prescribing)


1. Optometrist Prescriber




2. Pharmacist Prescriber




3. Podiatrist Prescriber



Community Practitioner Nurse Prescribers in cost centres parented by a provider organisation – Acute supply (acute and repeat prescribing)




Nurse Independent/Supplementary Prescribers in cost centres parented by a provider organisation – Acute supply (acute and repeat prescribing)




Additional prescribers in cost centres parented by a provider organisation – Acute supply (acute and repeat prescribing)


1. Optometrist Prescriber



2. Pharmacist Prescriber



3. Podiatrist Prescriber



Hospital Unit without Individual Prescriber Code

